SIEVA · FABRIC

OUTDOOR CUSHION FABRIC

Colorful life world from the most high quality state

polyester test as follow

Color Fastness To Light	(AATCC TM 16.3-2014; Option 3; Xenon Arc Lamp)	Grey/1000hours grade 3.5
Tearing Strength	(ASTM D1424-2009(2013)E1; Elmendorf Tear)	PASS
Seam Slippage	(ASTM D434-1995)	PASS
	(ASTM D434-1995; Instron CRE)	PASS
Tensile Strength	(ASTM D5034-09(Reapproved 2013); Instron GRE-1" grab)	PASS
Abrasion Resistance	(ASTM D4966-12 ε 1 Option 1, Martindale Wear & Abrasion Tester, 12kPa Pressure.)	>15000 CYCLES
Ultraviolet Protection Factor	Ultraviolet Protection Factor(AATCC 183-2010	50+ Good
Perfluorooctane Sulfonates (PFOS)	Test Method: In-house method - solvent extraction. Analysis was conducted by LC-MS.	ND=Not Detected(<MDL)
Spray Test	Spray Test-Tested under controlled condition, water temperature: 27±1℃condition })	100
Azo Dyes	All Textile: According to EN 14362-1: 2012- Analysis was conducted with GC-MS/HPLC-DAD.	PASS
All the result through SGS-CSTC Standards Technical Services(Shanghai)Co.Ltd test		

A high quality fabric can be guarantee for 2years. The abrsion resistant that depend on the weather condition and how to use it.



D001



D002

D003

D004



D005



D006

D007

D008



D009



D010

D011



D012



D013

D014



D015



D016



D017



D018

D019



D020

D021



D022



D023

D024



D025

D026



D027



D028

D029



D030



D031



D032



D033



D034



D035



D036



D037



D038



D039



D040



D041

D042



D043

D044

D045



D046



D047



D048

D049



D050



D051



D052



D053



D054



D055



D056



D057



D058

Skype: sales.tanfly QQ: 1961362919
Cel: +86 13829768722(Wechat/Whatsapp)
Tel: +86-757-27793075
E-mail: sales@tanfly.com
Factory Add: No.20, Xingmin Rd,Yanyuan Industrial Area,XingtanTown,
Shunde District,Foshan City,Guangdong Province,China.

Http://www.tanfly.com (Offical Web)
Http://tanfly.en.alibaba.com